



THRIKKAKARA MUNICIPALITY

KAKKANAD P.O, KOCHI – 21

PH. 0484-2422383

Mail Id: sectkramncplty@gmail.com

No. H1-11962/23

31.01.2024

SANITATION CERTIFICATE

This is to Certify that the Health and hygienic facilities are found satisfactory for running the Institution, named "ASSISI VIDYANIKETHAN PUBLIC SCHOOL, Attipetti Nagar, Chempumukku, Thrikkakara P.O, Kakkanad, Kochi-682 021 are found satisfactory.


This certificate is issued produce before CBSE Board and valid only for the Academic year ~~2023-24~~ only.





City Manager
Thrikkakara Municipality
SAHADEVAN. E.K.
CLEAN CITY MANAGER
Public Health & Environmental
Management Wing
LSGD Thrikkakara Municipality



self-attested


Director

Self-attested

PRINCIPAL

SUMA PAUL
(GTA, UNITED KINGDOM
CBSE, ICT-NATIONAL AWARDEE)
Principal
Assisi Vidyaniketan Public School
Chembumukku, Kakkanad
Thrikkakara P.O., Kochi - 682 021



THRIKKAKARA MUNICIPALITY

KAKKANAD P.O, KOCHI – 21

PH. 0484-2422383

Mail Id: sectkramncplty@gmail.com

No. H1-11962/23

31.01.2024

SANITATION CERTIFICATE

This is to Certify that the Health and hygienic facilities are found satisfactory for running the Institution, named "ALPHA DALE, Assisi Nursery School , Attipetti Nagar, Chempumukku, Thrikkakara P.O, Kakkanad, Kochi-682 021 are found satisfactory.

This certificate is issued produce before CBSE Board and valid only for the Academic year ~~2023-24~~ only.



31/1/2024
Clean City Manager
Thrikkakara Municipality

SAHADEVAN, E.K.
CLEAN CITY MANAGER
Public Health & Environmental
Management Wing
LSGD Thrikkakara Municipality



self-attested

Jr. J...
Director

Self-attested
sumapaul
PRINCIPAL

SUMA PAUL
(GTA, UNITED KINGDOM
CBSE, ICT-NATIONAL AWARDEE)
Principal
Assisi Vidyaniketan Public School
Chembumukku, Kakkanad
Thrikkakara P.O., Kochi - 682 021



KERALA WATER AUTHORITY

Telephone: 0484-2522174
Email: kwat@kwa.gov.in



QUALITY CONTROL DISTRICT LAB, ALUVA - 683101

WATER TEST REPORT


ULR NO:TC95522400000621F

Customer Name & Address Assisi Vidyaniketan Public School Chembumukk Kakkanad	Date of Receipt of Payment	Report Issue Date: 10.01.2024
	Date of Sample received	12.12.23
	Sample given by	04.01.24
	Sample Code	Customer
	Sample Name	ALY/S/14791/1/24
	Sample Condition	Drinking Water
	Source of Sample	Good
	Sample Quantity	Submitted by the Party (KWA)
	Test performing dates :	2 Litre
		From : 06.01.24 to 09.01.24

Sl.No	Characteristics	Unit	Test Method	Acceptable Limit as per IS 10500-2012	Result
1	Fluoride (as F ⁻)	mg/L	IS 3025 (Part 60)-2008(Reaffirmed 2013)		
2	Acidity	mg/L	IS 3025 (Part 22)-1986(Reaffirmed 2019)	2	BDL(DL=0.2)
3	Electrical conductivity at 25° C	micromhos/cm	IS 3025 (Part 14)-2013(Reaffirmed 2019)		1.90
4	Colour	HU	IS 3025 (Part 4)-1983(Reaffirmed 2021)		66.00
5	Odour	-	IS 3025 (Part 5)-2018	5	1
6	Turbidity	NTU	IS 3025 (Part 10)-2023	Agreeable	Agreeable
7	pH at 25°C	-	IS 3025 (Part 11)-2022	1.0	0.200
8	Total Alkalinity	mg/L	IS 3025 (Part 23)-2023	6.5 to 8.5	7.92
9	Sulphate (as SO ₄)	mg/L	IS 3025 (Part 24)-2022	200	6.100
10	Total Dissolved Solids (TDS) @180°C	mg/L	IS 3025 (Part 16)-2023	200	5.11
11	Total Hardness (as CaCO ₃)	mg/L	IS 3025 (Part 21)-2009(Reaffirmed 2019)	500	39
12	Calcium (as Ca)	mg/L	IS 3025 (Part 40)-1991(Reaffirmed 2019)	200	26.30
13	Magnesium (as Mg)	mg/L	IS 3025 (Part 46)-1994(Reaffirmed 2019)	75	6.50
14	Chloride (as Cl)	mg/L	IS 3025 (Part 32)-1988(Reaffirmed 2019)	30	25.000
15	Iron (as Fe)	mg/L	IS 3025 (Part 53)-2003 (Reaffirmed 2019)	250	19.00
16	Nitrate (as NO ₃)	mg/L	APHA 23rd Edition(UV Screening Method) 2017	1	0.10

Remarks:- DL : Detectable Limit
BDL : Below Detectable Limit

- NB:-1) The result stated above related only to the sample(s) submitted for testing by the customer.
2) The samples retain for 15 days from the end date of analysis
3) The test certificate shall not be reproduced except in full without the written approval of the Laboratory



End of Report

Authorized By

Deena

Rev.Date : 30/07/2023	Issue Date : 04.10.2020
Page 1 of 1	

QUALITY MANAGER
QUALITY CONTROL DISTRICT LAB



self-attested

*Jr. J...
Director*

Self-attested

*Suma Paul
PRINCIPAL*

SUMA PAUL
(GTA, UNITED KINGDOM
CBSE, ICT-NATIONAL AWARDEE)
- Principal -
Assisi Vidyaniketan Public School
Chembumukku, Kakkanad
Thrikkakara P.O., Kochi - 682 021



Telephone: 0484-2623576
email: qc@aluva@gmail.co

KERALA WATER AUTHORITY QUALITY CONTROL DISTRICT LAB, ALUVA - 683101 WATER TEST REPORT

Report No: KWA/QCDL-A/S/14791/23-24

Report Issue Date: 10.01.2024

Customer Name & Address Assisi Vidyaniketan Public School Chembumukk Kakkanad	Date of Receipt of Payment	12.12.23
	Date of Sample received	04.01.24
	Sample given by	Customer
	Sample Code	ALY/S/14791/1/24
	Sample Name	Drinking Water
	Sample Condition	Good
	Source of Sample	Submitted by the Party (KWA)
	Sample Quantity	2 Litre
	Test performing dates :	From : 06.01.24 to 09.01.24


SL.No	Characteristics	Unit	Test Method	Acceptable Limit as per IS 10500-2012	Result
1	Residual Chlorine	mg/L	IS 3025 (Part 26)-1986(Reaffirmed 2019)	0.2	BDL(DL=0.2)

Remarks - DL : Detectable Limit
BDL : Below Detectable Limit

- NB:-1) The result stated above related only to the sample(s) submitted for testing by the customer .
2) The samples retain for 15 days from the end date of analysis
3) The test certificate shall not be reproduced except in full without the written approval of the Laboratory

Authorized By

End of Report



Rev.Date : 30/07/2023

Issue Date : 04.10.2020

Page 1 of 1

QUALITY MANAGER
KWA, QUALITY CONTROL DISTRICT LAB
ERNAKULAM, ALUVA - 683 101



self-attested

Jr. J...
Director

Self-attested

Sumapaul
PRINCIPAL

SUMA PAUL
(GTA, UNITED KINGDOM
CBSE, ICT-NATIONAL AWARDEE)
Principal
Assisi Vidyaniketan Public School
Chembumukku, Kakkanad
Thrikkakara P.O., Kochi - 682 021



Telephone:0484-2623576
email-qcdialuva@gmail.co

KERALA WATER AUTHORITY
QUALITY CONTROL DISTRICT LAB,ALUVA -683101
WATER TEST-BACTERIOLOGY REPORT

Report No: KWA/QCDL-A/S/14761/23-24

Report Issue Date: 10.01.2024


Customer Name & Address		Date of Receipt of Payment	12.12.23	
Assisi Vidyaniketan Public School Chembumukk Kakkanad		Date of Sample received	04.01.24	
		Sample given by	Customer	
		Sample Code	ALY/S/14791/1/24	
		Sample Name	Drinking Water	
		Sample Condition	Good	
		Source of Sample	Submitted by the Party (KWA)	
		Sample Quantity	200ml	
		Test performing dates :		From : 04.01.24 to 05.01.24
Sl. No.	Parameter	Acceptable Limit as per IS 10500-2012	Test Method	Result
1	Total Coliform	Shall not be Detected/100ml	IS15185-2015	Absent
2	E-Coli	Shall not be Detected/100ml	IS15185-2015	Absent

- NB:-1) The result stated above related only to the sample(s) submitted for testing by the customer .
2) The samples retain for 15 days from the end date of analysis
3) The test certificate shall not be reproduced except in full without the written approval of the Laboratory

Authorized By

[Signature]

End of Report



KWA/QCDL/ALY/10-2020	Issue Date : 04.10.2020
Rev,Date : 30/07/2023	Page 1 of 1



self-attested

[Signature]
Director

Self-attested

[Signature]
PRINCIPAL

SUMA PAUL
(GTA, UNITED KINGDOM
CBSE, ICT-NATIONAL AWARDEE)
Principal
Assisi Vidyaniketan Public School
Chembumukku, Kakkanad
Thrikkakara P.O., Kochi - 682 021



Telephone: 0484-2623576
email: qcdialuva@gmail.co

KERALA WATER AUTHORITY



QUALITY CONTROL DISTRICT LAB, ALUVA - 683101

WATER TEST REPORT

Report Issue Date: 10.01.2024


ULR NO: TC95522400000601F


Customer Name & Address Alpha dale Assisi Nursery School Chembumukkk Kakkanad	Date of Receipt of Payment	12.12.23
	Date of Sample received	04.01.24
	Sample given by	Customer
	Sample Code	ALY/S/14789/1/24
	Sample Name	Drinking Water
	Sample Condition	Good
	Source of Sample	Submitted by the Party (KWA)
	Sample Quantity	2 Litre
	Test performing dates : From : 06.01.24 to 09.01.24	

SL.No	Characteristics	Unit	Test Method	Acceptable Limit as per IS 10500-2012	Result
1	Fluoride (as F ⁻)	mg/L	IS 3025 (Part 60)-2008(Reaffirmed 2013)	2	BDL(DL=0.2)
2	Acidity	mg/L	IS 3025 (Part 22)-1986(Reaffirmed 2019)		2.90
3	Electrical conductivity at 25 ^o . C	micromhos/cm	IS 3025 (Part 14)-2013(Reaffirmed 2019)		66.00
4	Colour	HU	IS 3025 (Part 4)-1983(Reaffirmed 2021)	5	1
5	Odour	-	IS 3025 (Part 5)-2018	Agreeable	Agreeable
6	Turbidity	NTU	IS 3025 (Part10)-2023	1.0	BDL(DL=0.1)
7	pH at 25 ^o C	-	IS 3025 (Part 11)-2022	6.5 to 8.5	7.53
8	Total Alkalinity	mg/L	IS 3025 (Part 23)-2023	200	6.100
9	Sulphate (as SO4)	mg/L	IS 3025 (Part 24)-2022	200	4.29
10	Total Dissolved Solids (TDS) @180 ^o c	mg/L	IS 3025 (Part 16)-2023	500	38
11	Total Hardness (as CaCO3)	mg/L	IS 3025 (Part21)-2009(Reaffirmed 2019)	200	24.20
12	Calcium (as Ca)	mg/L	IS 3025 (Part 40)-1991(Reaffirmed 2019)	75	5.70
13	Magnesium (as Mg)	mg/L	IS 3025 (Part 46)-1994(Reaffirmed 2019)	30	2.500
14	Chloride (as Cl)	mg/L	IS 3025 (Part 32)-1988(Reaffirmed 2019)	250	11.90
15	Iron (as Fe)	mg/L	IS 3025 (Part 53)-2003 (Reaffirmed 2019)	1	BDL(DL=0.1)
16	Nitrate (as NO3)	mg/L	APHA 23rd Edition(UV Screening Method) 2017	45	3.55

Remarks:- DL : Detectable Limit
BDL : Below Detectable Limit

- NB:-1) The result stated above related only to the sample(s) submitted for testing by the customer .
2) The samples retain for 15 days from the end date of analysis
3) The test certificate shall not be reproduced except in full without the written approval of the Laboratory

Authorized By 



End of Report

Issue Date : 04.10.2020

Rev.Date : 30/07/2023

Page 1 of 1

QUALITY MANAGER
KWA, QUALITY CONTROL DISTRICT LAB
ERNAKULAM, ALUVA - 683 101



self-attested

Jr. Jeeva
Director

Self-attested

Sumapaul
PRINCIPAL

SUMA PAUL
(GTA, UNITED KINGDOM
CBSE, ICT-NATIONAL AWARDEE)
Principal
Assisi Vidyaniketan Public School
Chembumukku, Kakkanad
Thrikkakara P.O., Kochi - 682 021



Telephone:0484-2623576
email:-qcclaluva@gmail.co

KERALA WATER AUTHORITY
QUALITY CONTROL DISTRICT LAB,ALUVA -683101
WATER TEST REPORT

Report No: KWA/QCDL-A/S/14789/23-24

Report Issue Date: 10.01.2024

Customer Name & Address Alpha dale Assisi Nursery School Chembumukk Kakkanad	Date of Receipt of Payment	12.12.23
	Date of Sample received	04.01.24
	Sample given by	Customer
	Sample Code	ALY/S/14789/1/24
	Sample Name	Drinking Water
	Sample Condition	Good
	Source of Sample	Submitted by the Party (KWA)
	Sample Quantity	2 Litre
	Test performing dates :	From : 06.01.24 to 09.01.24

SL.No	Characteristics	Unit	Test Method	Acceptable Limit as per IS 10500-2012	Result
1	Residual Chlorine	mg/L	IS 3025 (Part 26)-1986(Reaffirmed 2019)	0.2	BDL(DL=0.2)

Remarks:- **DL** : Detectable Limit
BDL : Below Detectable Limit


- NB:-1) The result stated above related only to the sample(s) submitted for testing by the customer .
2) The samples retain for 15 days from the end date of analysis
3) The test certificate shall not be reproduced except in full without the written approval of the Laboratory

Authorized By

End of Report

KWA/QCDL/ALY/01-2020		Issue Date : 04.10.2020	
Rev No: 02	Rev,Date : 30/07/2023	Page 1 of 1	

QUALITY MANAGER
KWA, QUALITY CONTROL DISTRICT LAB
ERNAKULAM, ALUVA - 683 101



self-attested

Jr. J...
Director

Self-attested

Suma Paul
PRINCIPAL

SUMA PAUL
(GTA, UNITED KINGDOM
CBSE, ICT-NATIONAL AWARDEE)
Principal
Assisi Vidyaniketan Public School
Chembumukku, Kakkanad
Thrikkakara P.O., Kochi - 682 021



Telephone:0484-2623576
email:-qcotaluva@gmail.co

KERALA WATER AUTHORITY
QUALITY CONTROL DISTRICT LAB,ALUVA -683101
WATER TEST-BACTERIOLOGY REPORT

Report No: KWA/QCDL-A/S/14789/23-24

Report Issue Date: 10.01.2024


Customer Name & Address		Date of Receipt of Payment	12.12.23	
Alpha dale Assisi Nursery School Chembumukk Kakkanad		Date of Sample received	04.01.24	
		Sample given by	Customer	
		Sample Code	ALY/S/14789/1/24	
		Sample Name	Drinking Water	
		Sample Condition	Good	
		Source of Sample	Submitted by the Party (KWA)	
		Sample Quantity	200ml	
		Test performing dates :	From : 04.01.24 to 05.01.24	
Sl. No.	Parameter	Acceptable Limit as per IS 10500-2012	Test Method	Result
1	Total Coliform	Shall not be Detected/100ml	IS15185-2015	Absent
2	E-Coli	Shall not be Detected/100ml	IS15185-2015	Absent

- NB:-1) The result stated above related only to the sample(s) submitted for testing by the customer .
2) The samples retain for 15 days from the end date of analysis
3) The test certificate shall not be reproduced except in full without the written approval of the Laboratory

Authorized By

[Signature]

End of Report



Issue Date : 04.10.2020
Rev.No: 02 Rev.Date : 30/07/2023 Page 1 of 1



self-attested

*Jr. J...
Director*

Self-attested

*Sumapaul
PRINCIPAL*

SUMA PAUL
(GTA, UNITED KINGDOM
CBSE, ICT-NATIONAL AWARDEE)
Principal
Assisi Vidyaniketan Public School
Chembumukku, Kakkanad
Thrikkakara P.O., Kochi - 682 021